

**Amendments to the Claims:**

The following listing of claims replaces all prior versions and listings of claims.

**Listing of Claims:**

1-27. (Canceled)

28. (Currently Amended) A media player, comprising:

a high definition output terminal configured to communicate a high definition video signal to a high definition display;

at least one port configured to receive portably-stored content including high definition images from a portable storage device capable of storing the high definition images; and

a controller coupled to the at least one port and to the high definition output terminal, the controller configured to ~~select an image file from the portably-stored content and to generate at least a portion of a high definition image on the high definition display;~~ render a plurality of thumbnail icons providing miniaturized views of the portably stored content and to support interactions with the thumbnail icons, wherein the interactions are selected from full-screen viewing, rotating, zooming, panning, deleting, and copying;

wherein the high definition image has a resolution of at least 720 lines.

29. (Previously Presented) The media player of claim 28 further comprising a screen saver module configured to monitor the high definition video signal.

30. (Previously Presented) The media player of claim 29 wherein the screen saver module communicates one or more screen saver images for presentation on the high definition display when the high definition video signal is substantially absent.

31. (Previously Presented) The media player of claim 29 wherein the screen saver module communicates one or more screen saver images for presentation on the high definition display when a degree of motion associated with the portion of the high definition image is outside a range of motion.

32. (Previously Presented) The media player of claim 31 wherein the range of motion is defined by a number of pixels associated with the portion of the high definition image, each of the number of pixels sufficiently depicting motion.

33. (Previously Presented) The media player of claim 28 further comprising a media insertion manager module configured to automatically present the portion of the high definition image after the image file is discovered.

34. (Previously Presented) The media player of claim 33 wherein the image file is an auto-run file.

35. (Currently Amended) The media player of claim + 28 further comprising a light sensor module configured to detect a level of brightness and selectively alter characteristics of the high definition image.

36. (Previously Presented) The media player of claim 28 further comprising a view orientation manager module configured to orient the display of the high definition image.

37. (Previously Presented) The media player of claim 28 further comprising a thumbnail resolution manager module configured to reduce the amount of data required to present a miniaturized high definition image.

38. (Previously Presented) The media player of claim 28 further comprising a smart display manager module configured to minimize an amount of space not used to display the high definition image.

39. (Previously Presented) The media player of claim 28 wherein the portable storage device is a compact flash card.

40. (Previously Presented) A method of presenting a high definition image comprising:  
detecting the presence of portably-stored content including high definition images;  
determining whether one or more media files of the portably-stored content are auto-run media files;  
identifying that the one or more media files are auto-run media files; and  
presenting on a high definition display at least one high definition image associated with the one or more media files,  
wherein the at least one high definition image has a resolution of at least 720 lines, each of the 720 lines including at least 1280 pixels.

41. (Previously Presented) The method of claim 40, further comprising:  
identifying that no media file of the portably-stored content is an auto-run media file; and  
presenting on the high definition display at least one high definition image of the portably-stored content if the portably-stored content includes only image files.

42. (Previously Presented) The method of claim 41, further comprising presenting audio to a user with one or more other high definition images on the high definition display if the portably-stored content includes only audio files.

43. (Previously Presented) The method of claim 42, wherein the one or more other high definition images are programmatically generated by a visualizer.

44. (Previously Presented) The method of claim 42 further comprising:  
identifying a mix of image and audio files of the portably-stored content; and  
presenting a task view user interface on the high definition display.

45. (Previously Presented) The method of claim 40 further comprising:  
receiving a user input;

aborting the presentation of the at least one high definition image; and  
presenting a task view user interface on the high definition display.

46. (Previously Presented) The method of claim 45 further comprising:  
selecting to browse the at least one high definition image;  
adjusting a number of pixels constituting the at least one high definition image; and  
generating a thumbnail representation from the adjusted number of pixels.
47. (Previously Presented) The method of claim 40 further comprising adjusting a dimension  
of the at least one high definition image to reduce an unused amount of the high definition  
display.
48. (Previously Presented) The method of claim 40 further comprising rotating the at least  
one high definition image.
49. (Previously Presented) A media player for presenting images on a high definition  
television screen comprising:  
means for receiving a portable storage device capable of storing high definition images  
including at least one media file designated as an auto-run file, the at least one media file  
including a high definition image;  
means for generating a high definition output video signal to present one or more screen  
saver images on the high definition television screen; and  
means for presenting on the high definition television screen the high definition image  
from the portable storage device,  
wherein the high definition image has a resolution of at least 720 lines, each of the 720  
lines including at least 1280 pixels.
50. (Previously Presented) The media player of claim 49 further comprising means of  
adjusting a brightness level of the high definition display in response to an amount of light  
illuminating the environment of the high definition television screen.

51. (Previously Presented) The media player of claim 49 wherein the means for presenting further comprises means for performing a slideshow including the high definition image and other high definition images, wherein at least one of the high definition image and the other high definition images is presented having a first portion depicted as having no motion and a second portion depicted as having motion.

52. (Previously Presented) The media player of claim 49 further comprising a view orientation means to present the high definition image in an optimal orientation, the view orientation means including:

- means for detecting an indicator that specifies the view orientation of the high definition image;

- means for orientating the high definition image in accordance with the indicator; and
- if no indicator is detected, means for presenting a user interface to accept inputs to orientate the view.

53. (Previously Presented) A system for displaying electronic art comprising:

- a high definition ("HD") display; and

- a HD media player coupled to the HD display and configured to receive portably stored content on a computer readable medium, the computer readable medium including:

- instructions for generating a first HD video on the HD display,

- instructions for generating a second HD video on the HD display,

- instructions for generating an overlaid animation,

- instructions for providing an event indicator to indicate that an event associated with the overlaid animation has occurred, and

- instructions for switching from the first HD video to the second HD video upon detecting the event indicator,

- wherein the first HD video and the second HD video have resolutions of at least 720 lines, each of the 720 lines including at least 1280 pixels.

54. (Previously Presented) The system of claim 53 wherein overlaid animation is a clock.